


<del>【智知】</del> Fig. 【



+102+ Fig. 2




Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE......... Darryl Mexic 202-293-7060 February 10, 2004 3 of 34




IMALE. U


Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE...... Darryl Mexic 202-293-7060 February 10, 2004 4 of 34



1253 F.g. 5




(86) Fig. 6




+187 Fig. 7


Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE............ Darryl Mexic 202-293-7060 February 10, 2004 5 of 34




Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE....... Darryl Mexic 202-293-7060 February 10, 2004 202-293-7060 6 of 34




提出日 特願2003-157701






354



į

特願2003-157701

#### (195) Fig. 13



1867 Fig 14


Upper portion of separator section 351
351
354
353

E動方向
(移動方向) Direction of liner motion
(移動方向) (moving direction)


版部長さ355 版部長さ(片側長さら) Length of arm section (length L of arm section on one side) (片側長さし) か部51の下部 Lower portion of separator section 351

Length of arm section (length L of arm section on one side)


整理番号=030004X0 (図7) Fig. 15 - 三名回到中心の移動が時 rotational centers of Locus of motion of roller Envelope 包路線 K Dwe Lo  $\alpha$ 盃 340 7 350 350 金幣 Load zone Rotational center 配子的四動中途 φ Dwe 人化回抗教部の東ツ (Example direction change **人植物部かの彫** (Example liner portion) section) of roller



移動方向 Moving direction




### 12101 Fg. 18




13 of 34

## 100 Fig 19




# 1812) Fig. 20



15 of 34

## 1813) F.s. 21





Amount of drop B (mm)

### (图+4) F.2.22


Roller embrancing end of separator section351 R-chanferd 一面取り 340 340 350 51Fiz 23 <del>【図1</del> R-chanferd セパレータ部51の上部 Upper portion of separator section 351 R面取り 350 352 部510下部 Lower portion of separator section 351


## 18187 Fig. 24A





202-293-7060








【書類名】図面

Fig. 26


特願2003-284433







-1847 Fig. 29



Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE...... 202-293-7060 Darryl Mexic February 10, 2004 23 of 34

Fig. 30A




Fig. 30B

<del>(</del>5)





Fig. 30C





F:231A






Fig. 31B



Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE..... Darryl Mexic 202-293-7060 February 10, 2004 24 of 34


Fig. 32B



450

Q79819 Soichiro KATO, et al. SEPARATOR, LINEAR GUIDE USING THE..... Darryl Mexic 202-293-7060 February 10, 2004 25 of 34

Fig. 32C



\_[-图-8-]--

Fig. 33B

<del>(b)</del>






Fig.33C



整理番号:203156

Fig 34B






450 50

> Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE....... Darryl Mexic 202-293-7060 February 10, 2004 26 of 34

Fig34C

(c)



【図10】

Fig. 35B





Fig. 35C



202-293-7060 February 10, 2004 27 of 34

Fig.36A





Fig. 36B






【書類名】図面

<del>[図1]</del>

Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE....... Darryl Mexic 202-293-7060 February 10, 2004 28 of 34


Fig. 37



整理番号:203144

(図2)


Fig. 38



/(3)変表に00~~2/13をよい影響 (gab) 0 角軸鉄をなうち小みうてみ

Contact angle  $\sigma$  at which dimentional change in separator due to swelling is minimized (deg.)

Fiz.39




特願2003-292892


パンド変去にひでーンパンでより情報 (eob) 6 再触鉄るなくないませらす

Contact angle  $\boldsymbol{\theta}$  at which dimensional change in separator due to swell is minimized (deg.)


提出日:平成15年 8月13日 Soichiro KATO, et al. Q79819
SEPARATOR, LINEAR GUIDE USING THE......
Darryl Mexic 202-293-7060

February 10, 2004 31 of 34





{図-6-}



Soichiro KATO, et al. Q79819 SEPARATOR, LINEAR GUIDE USING THE...... 202-293-7060 Darryl Mexic

February 10, 2004 33 of 34




Fig. 44






Fig. 45



{図1-0}

Fy. 46



Dimensional difference between length of swelling in thicknesswise direction and length of swelling in radial direction (mm)